MASSEY FERGUSON

IMASSEY FERGUSON

PARTS SECTION

Section MF5

Hitch-Hydraulics; 3-point hitch parts, hyd. Pump kits,...

MASSEY FERGUSON

ALLIS CHALMERS RADIATOR HOSE

PART NO. 70243014

FITS: 180, 185, 190, 190XT



ALLIS CHALMERS RADIATOR HOSE

PART NO. 70248233

FITS: 180, 185, 190, 190XT



DESCRIPTION: Radiator Hose—Upper

DESCRIPTION; Radiator Hose—Lower

BLACK SEAT-ADJ



PTO DRIVEN AIR PUMP

<u>PART NO.</u> **AC-1**

FITS: Any 540 rpm PTO



6.50X16 TRACTOR TIRE

6.50X16 TRACTOR FARM TIRE 8 PLY RATING



All parts are aftermarket replacement parts and are not manufactured by the O.E.M. The original equipment part numbers are for reference only. Prices subject to change without notice. Not responsible for misprints.

MASSEY FERGUSON

MF 240 LIFT ARM

PART NO. 1869289M91 FITS: MF 240 all serial #, MF 240-S

(Turkey).



DESCRIPTION; 5/8" Thick, 39-1/2" overall

LOWER LIFT ARM MF35, 50

PART NO. 191115M91 FITS:

MF35, 50



DESCRIPTION: Fits LH or RH. 32" hole-to-hole centers. 5/8" thick bar. Also replaces 191114M91.

CAT. 1 LIFT ARM BALL

PART NO. 886428M1

FITS: Hole dia. =7/8" Pin Included with ball.



LIFT ARM RH. MF 230 / 245 CAT I & II

PART NO. 531858M92

FITS: 230, 235, 245, 255, Ind. 20, Ind. 30



DESCRIPTION:

LOWER LIFT ARM; MF35(late s/n), 135, 150

PART NO. 510584M92 ALSO 510585M92 OLD # 190588 / 190589 M91 FITS: MF35 s/n 219471 & UP, MF 50 s/n 529828 & UP, MF 135, MF 150



DESCRIPTION: 33 INCHES- HOLE-TO-HOLE CENTER. 5/8" thick. Fits LEFT OR RIGHT SIDE

LOWER LIFT ARM— T020, T030, T035

PART NO. 180847M91 FITS:

T030, T020, TE20, TEA20, T035



DESCRIPTION;

Also replaces 180846M91. FITS LEFT or RIGHT SIDE. 32" hole center to hole center. 1/2" thick bar.

MASSEY FERGUSON

LINK ARM CUFF

PART NO. LAC-65

FITS:

MF 65, 150, 165, 175, 180, 255, 265, 275, 670, 690, 270, 290, 283, 375, 390, 383, 390T, 393, 365,



LOWER LINK ARM END

<u>PART NO.</u> 184463M92 (RH) 184464M92 (LH)

FITS: MF 65, 150, 165, 175,



180, 255, 265, 275, 670, 690, 270, 290, 283, 375, 390, 383, 390T, 393, 365, 30, 31, 50E, 283 (UK), 283 (Brazil)

HYD. BUSHING

<u>PART NO.</u> 1870934M1

FITS:

175, 165, 180, 135, 150, 1080, 1085, 285, 255, 235, 265, 275, 230, 245, 282, 290, 250, 231, 261, 670, 699, 360, 390T



Hyd. O'ring Kit

<u>PART NO.</u> 894906M91

<u>FIIS:</u> MF35, 35X Tractor

(FE)



DESCRIPTION; rubber o'ring kit with all pcs. shown.

FORGED WELD-ON LIFT ARM END

<u>PART NO.</u> CTM-758

Dimensions:
Ball Hole size
= 7/8"
Width = 23/8"



DESCRIPTION; Category 1, weld on lift arm end.

FORGED WELD-ON LIFT ARM END

<u>PART NO.</u> 30550E1

Dimensions:
Ball Hole
size = 7/8"
Width = 13/4"



<u>DESCRIPTION</u>; Category 1, weld on lift arm end.

MASSEY FERGUSON

DRAWBAR BOLT

PART NO. 366634X1

FITS:
Drawbar bracket on all 100 & 200 series tractors
made in USA.



DESCRIPTION: 3/4 x 1 3/4 NC, Coneneck

PIN

PART NO. CTM-761 FITS:



Drawbar Pin

PART NO. 886162M92

<u>FITS:</u> MF 375, 383, 390, 390T, 393, 396, 398, (399 w/ 1006.6 Eng), Ind 40E, 50E

DESCRIPTION; 3/4 x 10"

CAM

<u>PART NO.</u> **1661547M92**

<u>FITS:</u>

Most MF tractors



All parts are aftermarket replacement parts and are not manufactured by the O.E.M. The original equipment part numbers are for reference only. Prices subject to change without notice. Not responsible for misprints.

MASSEY FERGUSON

FORK, RH for TO-20 and TO-30, 10-1/2" Long

PART NO. 890674M1

FITS: TO-20, TO30, TE20, TEA20 TO35 when used with 14" shaft.



<u>DESCRIPTION</u>; Fork only for RH side levelling box assembly with 3/4" threaded shaft. Also replaces # 181347M1

YOKE / FORK ASSY.—LH

PART NO. 897683M91

FITS:

35, 50, 135, 235, 245, 240, 250



DESCRIPTION; Yoke and fork assembly. Category I

LEVELING FORK, Category I, 14-1/2" Long



<u>DESCRIPTION</u>; Fork only, with grease fitting. For 3/4" threaded shaft.

CAT. 2 YOKE/FORK ASSY. LEFT HAND

PART NO. 275YOKEFORK-AS

FITS:

175, 265, 275



<u>DESCRIPTION</u>; Heavy duty fork and yoke assembly. Category II.

HYDRAULIC LIFT QUADRANT KNOB ASSEMBLY

PART NO. 1860403M1

FITS:

Most all hydraulic lift quadrants

Draft control.



DESCRIPTION; Includes part numbers 898201M1, 1860403M1

MASSEY FERGUSON

LEVELING BOX GEAR

<u>PART NO.</u> **181345M2**<u>FITS:</u>
CATEGORY 1 & 2 assemblies.




PIN CLEVIS, for Lev. Box Crank

PART NO. 376399X1 180860M1 FITS: 5/8" x 3-1/32"



HYDRAULIC STANDPIPE COVER

<u>PART NO.</u> **182373M91** New# 520933M91





STANDPIPE

PART NO. 1869119M1

FITS:
283, 240P., 270, 290,
282, 298, 699, 670,
690, 698, 240, 250,
1085, 285, 255, 235,
265, 275, 230



DESCRIPTION: 1/2" x 9-13/16"

DESCRIPTION; Also replaces 180908M1

HYDRAULIC OIL DIPSTICK

<u>PART NO.</u> **898215M1** New# 1665962M91

Fits most Massey Tractors

FITS:




<u>DESCRIPTION</u>; Overall length is 7-1/4"6-1/8" long dipstick.

STANDPIPE O-RING/ WASHER SET OF 10 PCS EA

<u>PART NO.</u> 195874M1 AND 195561M1

FITS: 283, 240P., 270, 290, 282, 298, 699, 670, 690, 698, 240, 250, 1085, 285, 255, 235, 265, 275, 230



DESCRIPTION: O-RING/WASHER SET OF TEN

MASSEY FERGUSON

HYDRAULIC LIFT CYLINDER; 3"

PART NO. 190859M1

FITS: TO-35, MF35, 50, 65, Early 135, 150, 165,



HYD. LIFT CYLINDER PISTONS/RINGS; 3"

PART NO. 184443M1

(Piston 3")

FITS:

3" Hydraulic cylinder Hydraulic Cylinder # 190859M1



DESCRIPTION: Uses Piston 184443M1

HYD. LIFT CYLINDER PISTONS/RINGS; 3-1/8"

PART NO. 897561M1

(Piston 3-1/8") New # 1665737M91



FITS: Hydraulic Cylinder# 897560M3

HYDRAULIC LIFT CYLINDER; 3-3/8"

PART NO. 1671082M1

FITS:

135, 165, 175, 180, 230, 235, 245, 255,

265, 275, 285, 270,

290, 298, 283, 261,

271, 281, 670, 690, 698, 699;

265-S & 285-S (Turkey), 20, 30, 40, 31, 20C, 50C.

FITS:

1671082M1 or 897594M2 Hydraulic cylinder

HYD. LIFT CYLINDER PISTONS/RINGS; 3-3/8"

PART NO. 897595M91

(Piston 3-3/8") New#1665738M91



(Ring set for 3-3/8" Piston)



DESCRIPTION; Replaces old number 897594M2

MASSEY FERGUSON

HYDRAULIC RELIEF VALVE

PART NO. 884747M92

FITS:

245, 265, 275 prior to s/n 9A349239, 270, 283, 290, 298, 670, 690, 699, 20C, 30B, 30D, 40B, 50C, 50E.



HYDRAULIC RELIEF VALVE

PART NO. 883402M91

FITS:

TO-35, 135, 150, 165, 175, 180, 235, 245, 135UK, 165UK, 175&178UK, 35 Turf & util., 3165, 2135, 2200, 20, 30, 31, 40.



DESCRIPTION: 2700-3200 PSI

DESCRIPTION: 2500-3000 PSI

RING & O'RING, Hyd. Piston

<u>PART NO.</u> 2528203/204K1

FITS:

MF230, Early 240,

250 **3-1/8 dia.**

Piston



RING & O'RING, Hyd. Piston

<u>PART NO.</u> 2528201/202k1

<u>FITS</u>

3-3/8 Piston



O'Ring, Hyd. Lift Shaft

PART NO. 195565M1

<u>FITS:</u>

35, Super 90, 135, 165, 150, 50, 65, T035



O'Ring, Hyd. Lift Shaft

PART NO. 359136X1

FITS:


175, 165, 180, 135, 150, 285, 255, 235, 265,

275, 230, 245,

670, 690, 698, 240, 250, 270,

290, 282, 298, 699, 283, 231

DESCRIPTION; 2-1/8" I.D. x 1/8"



MASSEY FERGUSON

HYDRAULIC PUMP O-RING KIT-MK 1

For O-RING KIT ONLY, order # 1810467M91



HYDRAULIC PUMP REPAIR KIT- MK 2

PART NO. 897491-kit

FITS:

135, 150, 165, 175, 180



DESCRIPTION; Includes cam block (front & rear), valve chambers with valves installed, pistons, rings, O-ring kit.

HYDRAULIC PUMP O-RING KIT—MK 2

For O-RING KIT ONLY, order # 1810684M92



HYDRAULIC PUMP REPAIR KIT—MK 3

PART NO. 1868435-kit

135, 150, 165, 175, 180, 230, 231-P, 235, 240, 245, 255, 265, 270, 275, 285,

....MANY MORE using .98 mm piston



DESCRIPTION: Includes cam block (front & rear), valve chambers with valves installed, pistons, rings, O-ring kit.

HYDRAULIC PUMP O-RING KIT—MK 3

For O-RING KIT ONLY, order # 1810680M91



MASSEY FERGUSON

HYD. PUMP OIL STRAINER/FILTER

<u>PART NO.</u> 1870199M1

FITS:

235, 245, 255, 265, 275, 285 inverted filter, 1085, Industrials: 20B, 20D.



DESCRIPTION:

Filter element for hydraulic lift pump.

HYD. PUMP SUPPORT PIN

PART NO. 180905M1


7/16" DIAMETER, WITHOUT SHOULDER FITS: TO-35, 35, MF50, MH50, 135, 150, 165



HYD. PUMP SUPPORT PIN

PART NO. 898643M1

Pump support pin with shoulder *FITS:* T0-35, 65, 135, 150, 165, 175, 180, 230, 231, 240, 240-P., 255, 265, 275, 282, 285, 670, 690, 698,



699, 375, 390, 398, 399, 360, 383, 390T., 393, 396, 365, 375,

LINK STABILIZER KNUCKLE

PART#: 514992M2

FITS;



Description:

Bracket used with telescoping stabilizer.

MASSEY FERGUSON

CONTROL VALVE

<u>PART NO.</u> 897507M94

FITS: 165, 180, 135, 150, 2135, 2200, 20, 31, 135UK, 165UK, 175 & 178 UK,



LIFT ARM PIN

PART NO. 1867851M3

FITS:MF 240, 250



DESCRIPTION: LIFT ARM PIN, 6 INCHES LONG

HYD. CAMSHAFT BLOCK

PART NO. 180924

FITS:
Most Ferguson
style lift
pumps.
MK I, II, & III



HYD. CAMSHAFT BLOCK

PART NO. 180925

FITS: Most Ferguson style lift pumps. MK I, II, & III



DESCRIPTION; Front block

DESCRIPTION: Rear block

PIN & ROLLER SET For Hydraulic Lift Pump

PART NO. 897504M1

FITS:
Fits most MF
hydraulic lift
pumps.
SOLD AS A SET; 2
Rollers and 1
Pin.Replaces part

897599M1 & 897504M1.







All parts are aftermarket replacement parts and are not manufactured by the O.E.M. The original equipment part numbers are for reference only. Prices subject to change without notice. Not responsible for misprints.

MASSEY FERGUSON

HYD. PUMP PISTON (.98mm)

<u>PART NO.</u> 1860038M1 <u>FITS:</u> MF135, 150,

165, 175, 180



<u>DESCRIPTION</u>; Replaces part # 518476M1 & 897492M1

CONTROL VALVE

PART NO. 1681789M91

FITS:

230, 231, 235, 240, 240-P, 245, 250, 253, 263, 255, 261, 265, 270, 275, 282, 283, 285, 290, 298, 360, 362, 375, 383, 390, 390T, 398, 399, 670, 690, 698, 699, 1085, Industrials: 20C, 20D, 20E, 20F, 30, 30B, 30D, 30E, 31, 40, 40B, 40E, 50, 50C, 50D, 50E



CONTROL VALVE

<u>PART NO.</u> 1862486M96

FITS: 135 U.S.A. , 135 UK.



CONTROL VALVE

PART NO. 189427M91

FITS: 35, 35 Turf, Utility & Govt., MF50, Massey Harris 50, MF65.



CONTROL VALVE

<u>PART NO.</u> 1870763M92

FITS: 230, 235, 245, 255, 265, 275, Industrials: 20, 30, 30B, 31, 40, 40B, 50C, 30E & 50E power shuttle, 165 UK.



MASSEY FERGUSON

ROCKER LINK

PART NO. 180973M1

FITS: TO-35, MF35, 50,65



BOLT

PART NO. 358178X1 FITS: **MOST MF TRACTORS 40HP RANGE**



BUSHING, ROCKER LINK (SOLID END)

PART NO. 180974M1

FITS:

TO-35, MF35, MH50, MF50, 65, 135, 150, 165, 175, 180, 230, 235, 240, 240-S, 245, 265-S, 285-S, 271/281, 3165, 2135, 2200, FE-35, 165 UK, 175 UK



BUSHING, ROCKER LINK (SPLIT END)

PART NO. 181982M1

FITS:

TO-35, MF35, MH50, MF50, 65, 135, 150, 165, 175, 180, 230, 235, 240, 240-S, 245, 265-S, 285-S, 271/281, 3165, 2135, 2200, FE-35, 165 UK, 175 UK



DESCRIPTION; Bushing; Split End.


DESCRIPTION; SOLID END BUSHING.

HYDRAULIC SPRING **RETAINER NUT**

PART NO. 180979M1

FITS:

TO-35, MF35, MH50, 65, 135, 150, 165, 175, 230, 235, 240, 245, 255, 265,





MASSEY FERGUSON

CLEVIS

PART NO. 180972M2

FITS: TO-35, MF35, 50, 135, 150, 165, 175, 180, 230, 235, 245,



HYD. LINK

<u>PART NO.</u> 1661918M91

FITS:
240S, 175, 165,
180, 135, 150,
255, 265, 275,
230, 245, 282,
290, 270, 250,
231, 240P., 261,
240, 375, 390,
360, 383, 393,

396, 365, 375



PLUNGER

PART NO. 886348M2

FITS:

Most MF tractors



CLEVIS

PART NO. 1863389M1

FITS:

135, 165, 175, 180, 255, 235, 265, 275, 230, 245, 240, 240P, 240S, 250, 270, 290, 282, 298, 231, 261, 670, 690, 698,



SPRING

PART NO. 182582M1

FITS:

T0-35, MF 35, 50, 65, 135, 150, 165, 175, 180, 230, 235,



 $245,\,255,\,265,\,275,\,240,\,250$ and many more models including industrial models